

---

**RF04457**

**G4 LAMPHOLDER**




**FLOS U.S.A., Inc.** 110 York Street, 5th Floor, Brooklyn, NY 11201 | Tel: 718-875-3472 | Email: [e-shop@flosusa.com](mailto:e-shop@flosusa.com) | <http://usa.flos.com>


---

**WARNING!** When installing and whenever acting on the appliance, ensure that the power supply has been switched off.


For the installation of the spare-part, it is necessary to consult a qualified electrician.





**Unfasten the locking screw of the reflector assembly.**



**Remove the reflector assembly (B) by sliding it off from the body lamp (C).**




**Slide-off the lamp body, the cover (D).**




**Unfasten the screw (F), remove the plastic housing (E) and the lamp bulb.**


**FLOS U.S.A., Inc. 110 York Street, 5th Floor, Brooklyn, NY 11201 | Tel: 718-875-3472 | Email: [e-shop@flosusa.com](mailto:e-shop@flosusa.com) | <http://usa.flos.com>**



**Unfasten the lampholder (G) fixing screws (H).**




**Disconnect the electrical lampholder conductors (I) from the terminal box (J).**



**Assemble now the new spare-part:**



**Insert the lampholder (G) and fasten the two fixing screws (H).**






**Connect the electrical conductors (I) of the lampholder to the terminal box (J).**

**FLOS U.S.A., Inc.** 110 York Street, 5th Floor, Brooklyn, NY 11201 | Tel: 718-875-3472 | Email: [e-shop@flosusa.com](mailto:e-shop@flosusa.com) | <http://usa.flos.com>




**Position back the plastic housing (E), fasten the screw (F) and insert the lamp-bulb.**


**FLOS U.S.A., Inc. 110 York Street, 5th Floor, Brooklyn, NY 11201 | Tel: 718-875-3472 | Email: [e-shop@flosusa.com](mailto:e-shop@flosusa.com) | <http://usa.flos.com>**



**Slide back-on the cover (D).**




**FLOS U.S.A., Inc. 110 York Street, 5th Floor, Brooklyn, NY 11201 | Tel: 718-875-3472 | Email: [e-shop@flosusa.com](mailto:e-shop@flosusa.com) | <http://usa.flos.com>**



**Slide the reflector assembly (B) back-on the lamp body (C).**

**FLOS U.S.A., Inc.** 110 York Street, 5th Floor, Brooklyn, NY 11201 | Tel: 718-875-3472 | Email: [e-shop@flosusa.com](mailto:e-shop@flosusa.com) | <http://usa.flos.com>



**Lock the reflector assembly by fastening the screw (A).**